




APT

The Name You Can Trust



Connect Us

Alexandria Progress Trading Co.

 72 El Gomhouria St., Cairo

 0225913312-0225913313-0225913314

 info@apt-co.org



2022

POWER TOOLS CATALOGUE

Acquire consumers with quality, integrity and persistence

APT Co. Culture

Alexandria Progress Trading Co, has been established in 1972. APT Co. has been the market leader in Egypt & Middle East specialized in importing the most advanced and best quality of tools to serve all individuals and industries for 48 years.

Our Mission:

To provide and develop solutions to the end user with our first-class quality and innovative tools and service in response to their needs throughout our strong dealers' network.

And to continuously improve our products in order to keep a professional and strong relationship with our customers.

Our Vision :

To expand and avail more market opportunities in Egypt & Africa with the broadest selection of products at the most competitive prices. And to constantly increase our market share along with a high customer satisfaction level.

Our Values

Integrity

Trust

Commitment to Customers

Innovation

Quality

Teamwork

CONTENTS

Cordless Tools	1
Cordless Drill 12V	1
Cordless Drill 14.4V	1
Cordless Drill 18V	1-2
Cordless Impact wrench	2-3
Cordless Blower	3
Cordless Drill Metal chuck	3
Cordless Impact driver	4
Cordless Reciprocating Saw	4
Cordless Angle Grinder	5
Cordless Multi Tool	5
Cordless Circular Saw	5
Cordless Jig Saw	6
Cordless Drywall Drill	6

Cordless Battery 2.0A/4.0A

Power Tools	9
Electric Drill	9-10
Angle Drill	10
Impact Drill	10-12
Drill Holder	12
Straight Rotary Hammer	12-13
Rotary Hammer	13-15
Demolation Breaker	16-17
Electric Mixer	18
Dry Wall and Roof sweril Sander	18
Sheet Sander	18

Polisher	19
Angle Grinder	19-21
Orbital Polisher	21
Mini Craft	22
Multi Function tool	23
Circular Saw	23
Electric Planner Big Blade	23
Jig Saw	24
Electric Router	24
Electric Blower	25-26
Heat Gun	26
Electric Chain Saw	27

Bench Tools	28
Mitre Saw	28-29
Cut off Saw	29-30

LED light	31
Rechargeable LED Headlamp	31
Mini Cordless LED light	32
Cordless light	32

Laser Products	33
Cross Laser Line	33-34
Laser Distance Meter	34-35
Laser Spirit Lever	35
1.1M Tripod	35
1.5M Tripod	36

DW15105

Cordless Drill With 2 Lithium Ion Batteries

12 V

SPECIFICATIONS

Voltage	12 V
Battery Capacity	1.3 Ah
Max. Torque	25 Nm
No-load Speed	0-350/0-1350 r/min
Chuck Capacity	10 mm
Weight	0.985 kg



DW15310

Cordless Drill With 2 Lithium Ion Batteries

14.4 V

SPECIFICATIONS

Voltage	14.4 V
Battery Capacity	1.3 Ah
Max. Torque	27 Nm
No-load Speed	0-400/0-1450 r/min
Chuck Capacity	10 mm
Weight	1.16 kg



DW15515

Cordless Drill With 2 Lithium Ion Batteries

18 V

SPECIFICATIONS

Voltage	18 V
Battery Capacity	1.3 Ah
Max. Torque	29 Nm
No-load Speed	0-400/0-1450 r/min
Chuck Capacity	10 mm
Weight	1.19 kg



DW15545

Cordless Drill With 2 Lithium Ion Battery

18 V

SPECIFICATIONS

Voltage	18 V
Battery Capacity	3.0 Ah
Max. Torque	45 Nm
No-load Speed	0-400/0-1500 r/min
Torque Settings	18+1
Chuck Capacity	13 mm
Weight	1.8 kg



DW15555

Cordless Drill With 2 Lithium Ion Battery Brushless

18 V

SPECIFICATIONS

Voltage	18 V
Battery Capacity	3.0 Ah
Max. Torque	55 Nm
No-load Speed	0-400/0-1500 r/min
Torque Settings	22+1
Chuck Capacity	13 mm
Weight	1.835 kg



DW15715

Cordless impact wrench Li

18 V

SPECIFICATIONS

Voltage	18 V
Battery Capacity	3.0 Ah
Max. Torque	240 Nm
No-load Speed	0-2200 r/min
Impact Rate	0-3400 bpm
Square Drive	1/2" square head spindle
Weight	1.95kg



DW15725

Cordless Impact Wrench Brushless Motor Li

18 V

SPECIFICATIONS

Voltage	18 V
Battery Capacity	3.0 Ah
Max. Torque	320 Nm
No-load Speed	0-1600 / 0-2200 r/min
Impact Rate	0-2300 / 3300 bmp
Square Drive	1/2" square head spindle
Weight	1.7kg



DW15815

Cordless Blower Li

18 V

SPECIFICATIONS

Voltage	18 V
Battery Capacity	1.5 Ah
No-load Speed	0-8000/0-10000/0-15500 r/min
Max. Air Volume	2.8 m³/min
Weight	1.48 kg



DW0100132

Cordless Drill 13mm MEtal Chuck, LED Light, 2 Batteries

20 V

SPECIFICATIONS

Voltage	20 V
Battery Capacity	2.0 Ah
Max. Torque	Max. torque: 40 Nm
No-load Speed	0-450/0-1700 rpm
Chuck Capacity	2-13 mm
Bare Weight	1.18 kg



DW0320218

Impact Driver 1/4" 2 Batteries

20 V

SPECIFICATIONS

Voltage	20 V
Battery Capacity	2.0 Ah
Max. Torque	150 Nm
No-load Speed	0-2900 rpm
Impact Per Minute	0-3000 ipm
Max.screw Diameter	8*100mm
Tool Holder	1/4" (6.35mm)
Bare Weight	1.12 kg



DW0420435

Cordless Impact Wrench 1/2" 2 Batteries

20 V

SPECIFICATIONS

Voltage	20 V
Battery Capacity	4.0 Ah
Max. Torque	350 Nm
No-load Speed	0-2000 rpm
Impact Per Minute	0-3000 ipm
Max.Bolt Diameter	M36
Tool Holder	1/2" (12.7mm)
Bare Weight	2.0 kg



DW1000222

Cordless Reciprocating Saw Variable Speed 2 Batteries

20 V

SPECIFICATIONS

Voltage	20 V
Battery Capacity	2.0 Ah
No-load Stroke Rate	0-2800 spm
Stroke Length	22 mm
Bare Weight	1.80 kg



DW0501154 Cordless Angle Grinder

20 V

SPECIFICATIONS

Voltage	20 V
Battery Capacity	4.0 Ah
No-load Speed	0-8500 rpm
Disc Diameter	115 mm
Spindle Thread	M14
Bare Weight	1.53 kg



DW0600062 Cordless Multi Tool 2 Batteries

20 V

SPECIFICATIONS

Voltage	20 V
Battery Capacity	2.0 Ah
Oscillations Per Minute	8000-16000 rpm
Oscillation Angle	3.0°
Bare Weight	1.0 kg



DW0900204 Cordless Circular Saw

20 V

SPECIFICATIONS

Voltage	20 V
Battery Capacity	4.0 Ah
No-load Speed	3500 rpm
Blade Diameter	165 mm
Blade Bore Diameter	20 mm
Bevel Capacity	45°
90° Max.depth of Cut	53 mm
45° Max.depth of Cut	38 mm
Bare Weight	2.4 kg



DW0800802 Cordless Jig Saw

20 V

SPECIFICATIONS

Voltage	20 V
Battery Capacity	2.0 Ah
No-load Stroke Rate	0-2700 spm
Stroke Length	20mm
Bevel Capacity	45°
Max.depth of Cut [wood]	80 mm
Max.depth of Cut [metal]	5 mm
Bare Weight	1.3 kg



DW0700122 Cordless Drywall Drill

20 V

SPECIFICATIONS

Voltage	20 V
Battery Capacity	2.0 Ah
Max. Torque	5 Nm
No-load Speed	0-4000 rpm
Chuck Capacity	1/4"
Bare Weight	0.97 kg



DW5000202 Battery 2.0A.H 20V

20 V

SPECIFICATIONS

Voltage	20 V
Battery Capacity	2.0 Ah
Weight	0.40 kg



DW5000204 Battery 4.0A.H 20V

20 V

SPECIFICATIONS

Voltage	20 V
Battery Capacity	4.0 Ah
Weight	0.67 kg



4.0 AH



DW5500202 Fast Battery Charger 20V 2.0A.H

20 V

SPECIFICATIONS

Voltage	20 V
Battery Capacity	2.0 Ah
Weight	0.38 kg



2.0 AH



DW5500204 Fast Battery Charger 20V 4.0A.H

20 V

SPECIFICATIONS

Voltage	20 V
Battery Capacity	4.0 Ah
Weight	0.48 kg



4.0 AH



DW01215 Electric Drill

400W

With steel key chuck
Ergonomic design add comfort in using
Lock on switch for easy control



SPECIFICATIONS

Voltage	220 V ~50 Hz
Power Input	400 W
No-load Speed	0-4300 r/min
Chuck Capacity	1.0-6.0 mm
Weight	1.4 kg



DW01215L Electric Drill

400W

With steel key chuck
Ergonomic design add comfort in using
Lock on switch for easy control



SPECIFICATIONS

Voltage	220 V ~50 Hz
Power Input	400 W
No-load Speed	0-4300 r/min
Chuck Capacity	1.0-6.0 mm
Weight	1.4 kg



DW01315 Electric Drill

450W

With steel key chuck
Ergonomic design add comfort in using
Lock on switch for easy control



SPECIFICATIONS

Voltage	220 V ~50 Hz
Power Input	450 W
No-load Speed	0-3300 r/min
Chuck Capacity	1.0-10 mm
Weight	1.5 kg



DW01315L Electric Drill

450W

With steel key chuck
Ergonomic design add comfort in using
Lock on switch for easy control



SPECIFICATIONS

Voltage	220 V ~50 Hz
Power Input	450 W
No-load Speed	0-3300 r/min
Chuck Capacity	1.0-10 mm
Weight	1.5 kg



DW01520 Angle Drill

500W

Lock-on switch
Soft grip handle
Variable speed for sensitive drilling



SPECIFICATIONS

Voltage	220-240 V /50-60 Hz
Power Input	500 W
Chuck Speed	0-1200r/min
Chuck	3/8" Keyed Maximum
Drilling Capacity in Wood	1" (25 mm)Maximum
Drilling Capacity in Metal	3/8" (10 mm)
Weight	2.0 kg



DW02635 Impact Drill

650W

Compact design make it suitable for drilling overhead
Impact stop switch for external high precision drilling
Variable speed suits different requirements in different applications



SPECIFICATIONS

Voltage	220-240 V /50-60 Hz
Power Input	650 W
No-load Speed	0-3000 r/min
Chuck Capacity	0-13 mm
Drill Capacity Metal	10 mm
Drill Capacity Masonry	13 mm
Drill Capacity Wood	25 mm
Weight	2.2 kg



DW02645 Impact Drill

750W

Compact design make it suitable for drilling overhead
Impact stop switch for external high precision drilling
Variable speed suits different requirements in different applications

SPECIFICATIONS

Voltage	220-240 V / 50-60 Hz
Power Input	750 W
No-load Speed	0-3000 r/min
Chuck Capacity	0-13 mm
Drill Capacity Metal	10 mm
Drill Capacity Masonry	13 mm
Drill Capacity Wood	25 mm
Weight	2.3 kg



DW02655 Impact Drill

850W

Compact design make it suitable for drilling overhead
Impact stop switch for external high precision drilling
Variable speed suits different requirements in different applications

SPECIFICATIONS

Voltage	220-240 V / 50-60 Hz
Power Input	850 W
No-load Speed	0-3000 r/min
Chuck Capacity	1.5-13 mm
Drill Capacity Metal	13 mm
Drill Capacity Masonry	13 mm
Drill Capacity Wood	30 mm
Weight	2.8 kg



DW02775 Impact Drill

1050W

Compact design make it suitable for drilling overhead
Impact stop switch for external high precision drilling
Variable speed suits different requirements in different applications

SPECIFICATIONS

Voltage	220-240 V / 50-60 Hz
Power Input	1050 W
No-load Speed	0-1100/ 0-3000 r/min
Chuck Capacity	13 mm
Drill Capacity Metal	13 mm
Drill Capacity Masonry	13 mm
Drill Capacity Wood	25 mm
Weight	3.5 kg



DW55205 Drill Holder

60mm

SPECIFICATIONS

Drilling Capacity	60mm
Maximum Clamping Diameter	43mm
Maximum Rotation Angle	180°



DW02795 Impact Drill

1100W

Compact design make it suitable for drilling overhead
Impact stop switch for external high precision drilling
Variable speed suits different requirements in different applications

SPECIFICATIONS

Voltage	220-240 V / 50-60 Hz
Power Input	1050 W
No-load Speed	0-2800 r/min
Chuck Capacity	1.5-13 mm
Drill Capacity Metal	13 mm
Drill Capacity Masonry	13 mm
Drill Capacity Wood	25 mm
Weight	2.6 kg



DW26QCC Straight Rotary Hammer

800W

SDS plus toolholder with robust power could impressively enhance drilling performance
Forward & reverse function convenient for drilling on different materials
Variable speed for varial working environment use

SPECIFICATIONS

Voltage	220-240 V / 50-60 Hz
Power Input	800 W
No-load Speed	0-1300 /min
Impact Rate	0-5500 /min
Max.Drill Capacity [Concrete]	26 mm
Max.Drill Capacity [Steel]	13 mm
Max.Drill Capacity [Wood]	30 mm
Weight	2.7 kg



SDS-PLUS



DW2621

Straight Rotary Hammer

800W

SDS plus toolholder with robust power could impressively enhance drilling performance
Forward & reverse function convenient for drilling on different materials
Variable speed for varial working environment use

SPECIFICATIONES

Voltage	220-240 V /50~60 Hz
Power Input	800 W
No-load Speed	0-1300 /min
Impact Rata	0-5500 /min
Max.Drill Capacity [Concrete]	26 mm
Max.Drill Capacity [Steel]	13 mm
Max.Drill Capacity [Wood]	30 mm
Weight	2.8 kg

SDS-PLUS



DW2601

Straight Rotary Hammer

800W

SDS plus toolholder with robust power could impressively enhance drilling performance
Forward & reverse function convenient for drilling on different materials
Variable speed for varial working environment use

SPECIFICATIONES

Voltage	220-240 V /50~60 Hz
Power Input	800 W
No-load Speed	0-1100 r/min
Impact Rata	0-4900/min
Max.Drill Capacity [Concrete]	26 mm
Max.Drill Capacity [Steel]	13 mm
Max.Drill Capacity [Wood]	30 mm
Weight	2.7 kg

SDS-PLUS



DW26G-V2

Rotary Hammer

850W

SDS plus toolholder with robust power could impressively enhance drilling performance
Forward & reverse function convenient for drilling on different materials
Variable speed for varial working environment use

SPECIFICATIONES

Voltage	220-230V ~50Hz
Power Input	850 W
No-load Speed	0-1000 r/min
Impact Rata	3150 /min
Max.Drill Capacity [Concrete/Steel/Wood]	26/13/40 mm
Operation Mode	Hammer/Drill/Hammer and Drill
Weight	3 kg

SDS-PLUS



DW32HT

Rotary Hammer

1250W

SDS plus toolholder with robust power could impressively enhance drilling performance
Forward & reverse function convenient for drilling on different materials
Variable speed for varial working environment use

SPECIFICATIONES

Voltage	220-230V ~50Hz
Power Input	1250 W
No-load Speed	300-1050 r/min
Impact Rata	1200-4200 /min
Impact Energy	5.0 J
Max.Drill Capacity [Concrete/Steel/Wood]	32/13/40 mm
Operation Mode	Hammer/Drill/Hammer and Drill
Weight	4.5kg

SDS-PLUS



DW36DT

Rotary Hammer

1500W

SDS plus toolholder with robust power could impressively enhance drilling performance
Forward & reverse function convenient for drilling on different materials
Variable speed for varial working environment use

SPECIFICATIONES

Voltage	220-230V ~50Hz
Power Input	1500 W
No-load Speed	340-780r /min
Impact Rata	1100-2700 /min
Impact Energy	5.0 J
Max.Drill Capacity [Concrete/Steel/Wood]	36/13/40 mm
Operation Mode	Hammer/Drill/Hammer and Drill
Weight	5.0 kg

SDS-PLUS



DW36HT

Rotary Hammer

1500W

Extensive soft grip reduce operation fatigue, improve operational efficiency
Overload safety clutch could protect armature and ensure safety
SDS max hammer with best performance

SPECIFICATIONES

Voltage	220-230V ~50Hz
Power Input	1500 W
No-load Speed	200-750 r/min
Impact Rata	1000-3000 /min
Impact Energy	5.0 J
Max.Drill Capacity [Concrete/CSteel/wood]	36/13/40 mm
Operation Mode	Hammer/Drill/Hammer and Drill
Weight	5.0 kg

SDS-PLUS



DW36PT

Rotary Hammer

1500W

Extensive soft grip reduce operation fatigue, improve operational efficiency
Overload safety clutch could protect armature and ensure safety
SDS max hammer with best performance

SPECIFICATIONS

Voltage	220~230V ~50Hz
Power Input	1500 W
No-load Speed	0-800 r/min
Impact Rate	0-3600 /min
Impact Energy	5.0 J
Max.Drill Capacity [Concrete/Steel/Wood]	34/13/40 mm
Operation Mode	Hammer/Drill/Hammer and Drill
Weight	5.0 kg

SDS-PLUS



DW40B

Rotary Hammer

1250W

Extensive soft grip reduce operation fatigue, improve operational efficiency
Overload safety clutch could protect armature and ensure safety
SDS max hammer with best performance

SPECIFICATIONS

Voltage	220~230V ~50Hz
Power Input	1250 W
No-load Speed	450r /min
Impact Rate	2800 /min
Impact Energy	10 J
Max.Drill Capacity [Concrete/Steel/Wood]	38/13/50 mm
Max.Drill Capacity [Core Bit]	90 mm
Operation Mode	Hammering/Rotation/Hammering with rotation

Weight	6.8 kg
--------	--------

SDS-MAX



DW50A2T

Rotary Hammer

1700W

SDS max toolholder with robust power could impressively enhance drilling performance
Overload safety clutch could protect armature and ensure your safety
Variable speed for sensitive use

SPECIFICATIONS

Voltage	220~230V ~50Hz
Power Input	1700 W
No-load Speed	200-340 r/min
Impact Rate	850-1900 /min
Impact Energy	27 J
Max.Drill Capacity [Concrete]	50 mm
Operation Mode	Hammer/Drill
Weight	10.3 kg

SDS-MAX



DW10C

Demolition Breaker

1010W

Unique chisel rotation system could lock flat chisel and speed up the chisel rotation operation impressively
Simple and compact design presents philosophy of life with great wisdom
Ergonomic handle design with huge area of soft grip

SPECIFICATIONS

Voltage	220-240 V ~50 Hz
Power Input	1010 W
Impact Rate	2900 /min
Impact Energy	10 J
Weight	5.3 kg



DW10D

Demolition Breaker

1300W

SDS max toolholder with robust power could impressively enhance demolition performance
Die cast magnesium alloy housing enables lightweight,superior heat dissipation and enhances body strength
Unique chisel rotation system could lock flat chisel and speed up the chisel rotation operation impressively

SPECIFICATIONS

Voltage	220~230V ~50Hz
Power Input	1350 W
Impact Rate	2900 /min
Impact Energy	10 J
Weight	5.5 kg



DW15D

Demolition Breaker

1300W

SDS max toolholder with robust power could impressively enhance demolition performance
Die cast magnesium alloy housing enables lightweight,superior heat dissipation and enhances body strength
Unique chisel rotation system could lock flat chisel and speed up the chisel rotation operation impressively

SPECIFICATIONS

Voltage	220~230V ~50Hz
Power Input	1300 W
Impact Rate	2400 /min
Impact Energy	20 J
Weight	7.0 kg



DW65 Demolition Breaker

1500W

SPECIFICATIONS

Voltage	220-230V ~50Hz
Power Input	1500 W
Impact Rate	1150 /min
Impact Energy	40 J
Weight	13 kg



DW45 Demolition Breaker

1700W

SPECIFICATIONS

Voltage	220-230V ~50Hz
Power Input	1700 W
Impact Rate	1300 /min
Impact Energy	45 J
Weight	14 kg



DW50 Demolition Breaker

2050W

Anti-Vibration system ensures lower vibration while tough works
Improved transmission chain with higher stability and longer life
Impact force of 50 joules competent for all kinds of work

SPECIFICATIONS

Voltage	220-240 V ~50 Hz
Power Input	2050 W
Impact Rate	1030 /min
Impact Energy	50 J
Weight	39 kg



DW09520 Electric Mixer

1220W

SPECIFICATIONS

Voltage	220-240V ~ 50Hz
Power Input	1220 W
No-load Speed	0-800r/min
Thread for Fixing the Tool	M14
Mixing Paddle(Max.)	120mm
Weight	3.0 kg



DW08249 Dry Wall and Roof Swevil Sander

710W

The dust-protected on/off switch is ensure to function in heavy-duty application
Handing pole could be extened for higher position operation
Variable speed maintains a stable speed control system

SPECIFICATIONS

Voltage	220-240 V /50-60 Hz	Short/Long Weight	4.5/5.0 kg
Power Input	710 W		
Speed	600-1500r/min		
Grinding Pad Diameter	215 mm		
Sandpaper Diameter	225 mm		
Tube Diameter	32 mm		
Short-Length	1.23/1.65 m		
Long-Length	2.2 m		



DW08204 Sheet Sander

300W

External carbon brush for easy carbon brush replacement
Big sanding paper clip allowing easy clamp the sand paper
Aluminum base to make the tool more heavier duty

SPECIFICATIONS

Voltage	220-240 V ~50 Hz
Power Input	300 W
Belt Speed(No-Load)	6000-12000r /min
Belt Dimensions	230 x 115 mm
Weight	2.6kg



DW06350-V2 Polisher 7"

1200W

Spindle lock for easy assembly and taking off the polishing pad
Lock-on switch offers continuous and power-saving operation
D-shape side handle for added convenience

SPECIFICATIONS

Voltage	220-240 V ~50 Hz
Power Input	1200 W
No-load Speed	600-3000 r /min
Max. Disc Diameter	180 mm
Weight	3.5 kg



DW05215-V2 Angle Grinder 4.5"

600W

SPECIFICATIONS

Voltage	220-230 V ~50 Hz
Power Input	600 W
Hole Diameter of Disc	22mm 4.5"/115mm
Spindle Thread	M14
Cord Length	2m
No-load Speed	11000 r /min
Weight	2.1 kg



DW05340-V2 Angle Grinder 5"

850W

SPECIFICATIONS

Voltage	220-240 V /50-60 Hz
Power Input	850 W
No-load Speed	11000 /min
Disc Diameter	125 mm
Current when loading	3.8 A
Weight	2.05 kg



DW05370-V2 Angle Grinder Long Handle 5"

1150W

SPECIFICATIONS

Voltage	220-240 V /50-60 Hz
Power Input	1150 W
No-load Speed	11000/min
Disc Diameter	125 mm
Current When Loading	5 A
Weight	2.5 kg



DW05372 Angle Grinder Short Handle Constant Speed 5"

1150W

SPECIFICATIONS

Voltage	220-240 V /50-60 Hz
Power Input	1150 W
No-load Speed	11000/min
Disc Diameter	125 mm
Current When Loading	5 A
Weight	2.43 kg



DW05555 Angle Grinder 7"

1500W

3-Position for side handle
Long handle

SPECIFICATIONS

Voltage	220-240 V /50-60 Hz
Input Power	1500 W
No-load Speed	8500 r/min
Max. Dis Diameter	180mm
Current when loading	6.5 A
Weight	3.66 kg



DW05625-V2 Angle Grinder 9"

2200W

3-Position for side handle
Long handle

SPECIFICATIONS

Voltage	220-240 V / 50-60 Hz
Input Power	2200 W
No-load Speed	6000 r/min
Max. Dis Diameter	230 mm
Current when loading	9.5 A
Weight	6.16 kg



DW06412 Mini Craft

135W

SPECIFICATIONS

Voltage	230V~ 50Hz
Input Power	135 W
No-load Speed	10000-32000 r/min
Chuck Capacity	Max 3.2mm
Weight	2 kg



DW05665 Angle Grinder 9"

2600W

Ergonomic design with soft grip for comfortable operation

SPECIFICATIONS

Voltage	220-240 V / 50-60 Hz
Input Power	2600 W
No-load Speed	6000 r/min
Max. Dis Diameter	230 mm
Current when loading	11.5 A
Weight	6.75 kg



DW06416 Mini Craft

170W

SPECIFICATIONS

Voltage	230V~ 50Hz
Input Power	170W
No-load Speed	8000-35000 r/min
Chuck Capacity	Max 3.2mm
Weight	1.8 kg



DW06300 Orbital Polisher 6"

720W

Soft start controlled speed and slow smooth start-up
Constant speed function infinitely variable speed ensurework at the right speed
Spindle-lock function or easy change of polishing pad

SPECIFICATIONS

Voltage	220-240 V / 50-60 Hz
Input Power	720 W
No-load Speed	2100-5000 r/min
Pad size	150 mm
Weight	2.5 kg



DW06419 Mini Craft

200W

SPECIFICATIONS

Voltage	230V~ 50Hz
Input Power	200W
No-load Speed	10000-40000/min
Chuck Capacity	Max 3.2mm
Weight	1.9 kg



DW06512 Multi Function Tool

300W

SPECIFICATIONS

Voltage	230V~ 50Hz
Input Power	300W
No-load Speed	15000-22000 r/min
Weight	2.7 kg



DW07220-V2 Circular Saw 7 1/4"

1200W

Soft grip handle
Lock off switch
Built-in laser

SPECIFICATIONS

Voltage	220V-240V~ 50Hz
Input Power	1200W
No-load Speed	4700 r/min
Saw Depth	63mm
Weight	4.3 kg



DW08300 Electric Planner Big Blade

560W

Aluminium plate the whole plate is aluminium
More soft grip for comfortable use
Precision machined base for smooth and accurate planing

SPECIFICATIONS

Voltage	220-240V/50Hz
Input Power	560W
No-load Speed	16000 r/min
Planing width	82mm
Planing depth	0-1mm
Rabeting depth	0-10mm
Weight	3.6 kg



DW07405 Jig saw

570W

Variable speed suits different requirements in different applications
Forward and reverse runs for convenient operation
Free tooling blade change easy and quickly change blade

SPECIFICATIONS

Voltage	220-240V/50Hz
Input Power	570 W
No-load Speed	0-3000 r/min
Max.Depth of cut[Wood]	65mm
Max.Depth of cut[Steel]	8mm
Weight	1.8 kg



DW07455 Jig saw

800W

Variable speed suits different requirements in different applications
Soft grip for comfortable and energy-saving operation
Power indicator light indicator whether electricity, safe and convenient

SPECIFICATIONS

Voltage	220-240V/50Hz
Input Power	800 W
No-load Speed	0-3000 r/min
Max.Depth of cut[Wood]	110mm
Max.Depth of cut[Steel]	10mm
Weight	2.5 kg



DW08490 Electric Router

2100W

Soft grip handle
Power-on indicator
Variable speed

SPECIFICATIONS

Voltage	220V~ 50Hz
Input Power	2100W
No-load Speed	9000-22000 r/min
Collet diameter	12mm
Weight	6 kg



DW09320A Electric Blower

450W

Blowing and suck dust functions
Variable speed control to offer better control in the blowing volume
Light weight suitable for home use

SPECIFICATIONS

Voltage	220-240 V ~50/60 Hz
Input Power	450W
No-load Speed	13000 r/min
Blowing Rate	2.3 m ³ /min
Weight	1.24 kg



DW09320A-V2 Electric Blower

450W

Blowing and suck dust functions
Variable speed control to offer better control in the blowing volume
With lock on switch for easy control

SPECIFICATIONS

Voltage	220-240 V ~50/60 Hz
Input Power	450W
No-load Speed	13000 r/min
Blowing Rate	2.3 m ³ /min
Weight	1.54 kg



DW09370-V2 Electric Blower

600W

Blowing and suck dust functions
Variable speed control to offer better control in the blowing volume
With lock on switch for easy control

SPECIFICATIONS

Voltage	220-240 V ~50/60 Hz
Input Power	600W
No-load Speed	5000-15000 r/min
Blowing Rate	2.8 m ³ /min
Weight	1.66 kg



DW09800 Electric Blower

800W

Blowing and suck dust functions
With lock on switch for easy control
Light weight suitable for home use

SPECIFICATIONS

Voltage	220-240 V ~50/60 Hz
Input Power	800W
No-load Speed	0-14000 r/min
Blowing Rate	2.8 m ³ /min
Weight	2.11 kg



DW09220 Heat Gun

1500W

SPECIFICATIONS

Voltage	220-240 V ~50/60 Hz
Input Power	1500W
Temperature	300/500 °C
Airflow	240/420 L/m
Weight	0.62kgs



DW09250 Heat Gun

2000W

SPECIFICATIONS

Voltage	220-240 V ~50/60 Hz
Input Power	2000W
Temperature	350/600 °C
Airflow	480 L/m
Weight	0.75kgs



DW07515 Electric Chain Saw

1600W

SPECIFICATIONS

Voltage	220V-240V~ 50/60 Hz
Input Power	2200W
Rotation Frequency	6008 rpm
Bar Length	405mm
Motor Material	Copper



DW07505 Electric Chain Saw

1400W

SPECIFICATIONS

Voltage	220-240 V / 50-60 Hz
Input Power	1400W
Idle Speed	7000 r/min
Cutting Length	406mm



DW10020 Electric Hedge Shear

600W

SPECIFICATIONS

Voltage	220-240 V / 50-60 Hz
Input Power	600W
No-load Speed	3300 r/min
Cutting Length	610mm
Cutting Diameter	16mm



DW07705 Mitre Saw Induction Motor 71/4"

900W

SPECIFICATIONS

Voltage	220-240 V ~50 Hz
Input Power	900 W
No-load Speed	5500r /min
Blade Diameter	190 MM
Blade Teeth	24 T
Blade Arbour	30 MM
Weight	5.4 kg



DW07716 Mitre Saw 8" Carbon Brush Motor

1200W

SPECIFICATIONS

Voltage	230 V ~50 Hz
Input Power	1200W
No-load Speed	4500r/min
Blade Diameter	210mm (8")
Weight	7 kg



DW07743 Mitre Saw 10" Carbon Brush Motor

2000W

SPECIFICATIONS

Voltage	230 V ~50 Hz
Input Power	2000W
No-load Speed	5000r /min
Blade Diameter	255mm(10")
Weight	12.7 kg



DW07751 Mitre Saw 12" Carbon Brush Motor

2000W

SPECIFICATIONS

Voltage	230V ~50 Hz
Input Power	2000W
No-load Speed	4000r /min
Blade Diameter	305mm (12")
Weight	16.5kg



DW07353 Cut Off Saw 14"

3000W

SPECIFICATIONS

Voltage	230V ~50 Hz
Input Power	2700W
No-load Speed	3600r /min
Blade Diameter	355mm (14")
Weight	17.5kg



DW07755 Sliding Mitre Saw Belt Driven 12" Carbon Brush Motor

2200W

SPECIFICATIONS

Voltage	230V ~50 Hz
Input Power	2200W
No-load Speed	4500r /min
Blade Diameter	305mm (12")
Weight	23kg



DW07351 Cut Off Saw 14"

2700W

SPECIFICATIONS

Voltage	230 V ~50 Hz
Input Power	2700W
No-load Speed	4000r /min
Blade Diameter	355mm (14")
Weight	14.7kg



LHDL203R Rechargeable LED Headlamp

200lm

SPECIFICATIONS

Flood	20-200 lumen	Dimensions	68x 34 x 40mm
Spot	120 lumen	Weight	95g
Spot	High power LED		
Operating time	Flood 2.5-25h, Spot 3h		
Charging time	3h		
Battery	3.7V 1400mAh Li-poly		
Protection class	IP54 / IK07		



HDL121R Rechargeable & Detachable LED Headlamp

120lm

SPECIFICATIONS

Flood	60-120 lumen
Operating time	5h/2.5h
Charging time	2-3h
Battery	3.7V 800mAh Li-poly
Protection class	IP65, IK07
Dimensions	94 x 43 x 37mm
Weight	95g



SLM351R Rechargeable Led Slim Light

350lm

SPECIFICATIONS

Flood	30-350 lumen	Weight	120g
Top high power LED	100lumen		
Operating time	Flood 2-20 h, Spot 3.5 h		
Charging time	2-3h		
Battery	3.7V 1500mAh Li-poly		
Protection class	IP54 / IK07		
Dimensions	44 x 24 x 116mm		



DW3000052 Mini Cordless Led Light

5W

SPECIFICATIONS

Voltage	20 V
Battery capacity	2.0 Ah
Led power dissipation	5 W
Lumens	300/150Lm
Bare Weight	0.19 kg



DW3000102 Cordless Light

10W

SPECIFICATIONS

Voltage	20 V
Battery capacity	2.0 Ah
Led power dissipation	10 W
Lumens	500/1000Lm
Bare Weight	0.39 kg



DW3000202 Cordless Led Light

20W

SPECIFICATIONS

Voltage	20 V
Battery capacity	2.0 Ah
Led power dissipation	20 W
Brightness [Max/Low]	1500/750 lumens
Bare Weight	0.72 kg



DW94212014 Cross Laser line

NLC14

SPECIFICATIONS

Beam color	Red	Laser accuracy	±0.5mm/m
Power	3V,2xAA Battery	Leveling time	5s
Working time	>15hrs	Leveling range	±4°
Laser wave length	635nm	Working temperature	0-40 °C
Laser power	Class 2,<1mw		
Laser line width	100 LUX,2mm/5m		
Working range	10m		



DW94432602 Cross Laser line

NL360-2E

SPECIFICATIONS

Beam color	Green	Laser accuracy	±0.5mm/m
Power	3V,2xAA Battery	Leveling time	5s
Working time	>15hrs	Leveling range	±4°
Laser wave length	635nm	Working temperature	0-40 °C
Laser power	Class 2,<1mw		
Laser line width	100 LUX,2mm/5m		
Working range	20m		



DW94232015 Cross Laser line

NLC15

SPECIFICATIONS

Beam color	Green	Laser accuracy	±0.5mm/m
Power	3V,2xAA Battery	Leveling time	5s
Working time	>15hrs	Leveling range	±4°
Laser wave length	635nm	Working temperature	0-40 °C
Laser power	Class 2,<1mw		
Laser line width	100 LUX,2mm/5m		
Working range	10m		



DW94433603 Cross Laser line

NL360-3E

SPECIFICATIONS

Beam color	Green	Laser accuracy	±0.5mm/m
Power	3V,2xAA Battery	Leveling time	5s
Working time	>15hrs	Leveling range	±4°
Laser wave length	635nm	Working temperature	0-40 °C
Laser power	Class 2,<1mw		
Laser line width	100 LUX,2mm/5m		
Working range	20m		



DW94332601 Cross Laser line

NL360-1E

SPECIFICATIONS

Beam color	Green	Laser accuracy	±0.5mm/m
Power	3V,2xAA Battery	Leveling time	5s
Working time	>15hrs	Leveling range	±4°
Laser wave length	635nm	Working temperature	0-40 °C
Laser power	Class 2,<1mw		
Laser line width	100 LUX,2mm/5m		
Working range	20m		



DW94504006 Laser Distance Meter

NLT06

SPECIFICATIONS

Measuring range	0.15-40m	Battery life	5000times
Accuracy	±3mm	Laser Auto off	30s
Laser type	class 2	Auto off	180s
Laser power	650nm <1mw	Function	continues measurement area/volume measurement- reference change, units change (m/ft/inch)
Working temperature	0-40 °C		
Storage temperature	-20-70 °C		
Power	2-AAA battery		



DW94510007 Laser Distance Meter

NLT07

SPECIFICATIONS

Measuring range/m	0.2-100	Battery type	AAA Alkaline	Volume measurement	yes
Typical measuring accuracy/mm	+/-2mm	Battery life/times	5000	Pythagorean two points	yes
Unit	m/ft/in+ft	Backlight	yes	Pythagorean three points	yes
frequency	5HZ	Beep	yes	Add/Subtraction	yes
laser type	650nm 635nm; class 2	Function List		Reference	yes
auto laser off	30 sec	Min/Max measurement	yes	Bubble	yes
auto instrument off	180 sec	Area measurement	yes	Histoy memory	20



DW94000003 1.5M Tripod

LA03

SPECIFICATIONS

Adjustable Height	- 1.5 m
Mounting Threads	11x5/8"
Material	Aluminium



DW94100001 Laser Spirit Level

NLL01

SPECIFICATIONS

Power	3V, 2xAAA Battery	Laser accuracy	Line:1mm/m;point:0.5mm/m
Working time	>15hrs	Level accuracy	1mm/m
Laser wave length	Line:635nm/point:650nm	Working temperature	0-40 °C
Laser power	Class 2, <1mw		
Laser line width	100 LUX, 3mm/3m		
Laser point dia	100 LUX, 15mm/20m		
Working range	Line:3m, point:20m		



DW94000001 1.1M Tripod

LA01

SPECIFICATIONS

Adjustable Height	- 1.1 m
Mounting Threads	11x5/8"
Material	Aluminium

